

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. South-West/1-1384663692/2013/EOA/Corrigendum-1

Date: 15-Apr-2013

Corrigendum

To, The Principal Secretary, Deptt. Of education, Govt. of Kerala, Govt. Sectt. Annexe, Thiruvananthapuram-695001

Sub: Extension of approval for the academic year 2013-14.

Ref: Application of the Institution for Extension of Approval for the Year 2013-14

EOA Issued on	F.No. South-West/1-1384663692/2013/EOA	19-Mar-2013
EOA Printed on	F.No. South-West/1-1384663692/2013/EOA	01-Apr-2013
Corrigendum 1	F.No. South-West/1-1384663692/2013/EOA/Corrigendu	15-Apr-2013

Sir/Madam,

In partial modification of the letter F.No. South-West/1-1384663692/2013/EOA and in terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	South-West	Application Id	1-1384663692
-		Permanent Id	1-1691341
Name of the Institute	RAJAGIRI SCHOOL OF ENGINEERING & TECHNOLOGY	Institute Address	RAJAGIRI VALLEY P.O KAKKANAD KOCHI-682039 KERALA STATE,KOCHI,ERNAKULAM,Kerala,682039
Name of the Society/Trust	RAJAGIRI EDUCATIONAL & CHARITABLE TRUST (RECT)	Society/Trust Address	PROVINCIAL HOUSE, SACRED HEART PROVINCE, RAJAGIRI P.O. "KALAMASSERY,ERNAKULAM,Kerala,683104
Institute Type	Unaided - Private		

Opted for change from Women to Co-ed	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

to conduct following courses with the intake indicated below for the academic year 2013-14

Application Number: 1-1384663692*

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Printed By : ae235291

Letter Printed On:15 April 2013.

Page 1 of 4



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Id: 1-1384663692		Course		Affiliating Body			l for 2013-			ration	
Program	Shift	Level		Full/Part Time		Intake 2011-12	Intake 2012-13	Intake Approved for 2013- 14	NRI	PIO	Foreign Collaboration
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	APPLIED ELECTRONICS AND INSTRUMENTAT ION ENGINEERING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	60	60	60	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	COMPUTER SCIENCE AND ENGINEERING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	120	120	120	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	ELECTRICAL AND ELECTRONICS ENGINEERING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	60	60	60	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	ELECTRONICS AND COMMUNICATIO NS ENGINEERING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	120	120	120	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	INFORMATION TECHNOLOGY	FULL TIME	Mahatma Gandhi Unversity , Kottayam	60	60	60	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADU ATE	COMPUTER SCIENCE AND INFORMATION SYSTEM	FULL TIME	Mahatma Gandhi Unversity , Kottayam	18	24	24	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADU ATE	VLSI AND EMBEDDED SYSTEMS	FULL TIME	Mahatma Gandhi Unversity , Kottayam	18	18	24	Yes	No	No

Application Number: 1-1384663692*

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Id: 1-1384663692		Course		Affiliating Body			for 2013-			ation	
Program	Shift	Level		Full/Part Time		Intake 2011-12	Intake 2012-13	Intake Approved for 2013- 14	NRI	PIO	Foreign Collaboration
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADU ATE	SIGNAL PROCESSING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	18	18	18	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADU ATE	INDUSTRIAL DRIVES AND CONTROL	FULL TIME	Mahatma Gandhi Unversity , Kottayam	18	24	24	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADU ATE	NETWORK ENGINEERING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	18	18	18	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	MECHANICAL ENGINEERING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	60	60	60	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	CIVIL ENGINEERING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	0	0	60	Yes	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADU ATE	COMMUNICATIO N ENGINEERING	FULL TIME	Mahatma Gandhi Unversity , Kottayam	0	0	24	Yes	No	No

Validity of the course details may be verified at www.aicte-india.org>departments>approvals

The above mentioned approval is subject to the condition that RAJAGIRI SCHOOL OF ENGINEERING & TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Application Number: 1-1384663692*

•

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:15 April 2013.

Page 3 of 4



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

(Dr. Kuncheria P. Isaac)

Member Secretary, AICTE

Copy to:

- 1. The Regional Officer, All India Council for Technical Education Health Centre Building Bangalore University Campus Bangalore - 560 009, Karnataka
- 2. The Director Of Technical Education, Kerala
- 3. The Registrar, Mahatma Gandhi Unversity, Kottayam

4. The Principal / Director,

RAJAGIRI SCHOOL OF ENGINEERING & TECHNOLOGY RAJAGIRI VALLEY P.O KAKKANAD KOCHI-682039 KERALA STATE, KOCHI,ERNAKULAM, Kerala,682039

5. The Secretary / Chairman,

RAJAGIRI EDUCATIONAL & CHARITABLE TRUST (RECT) PROVINCIAL HOUSE, SACRED HEART PROVINCE, RAJAGIRI P.O. ,, KALAMASSERY,ERNAKULAM, Kerala,683104

6. Guard File(AICTE)

Application Number: 1-1384663692*

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Page 4 of 4